



---

**SECTION 3 - HAZARDS IDENTIFICATION**

---

EFFECTS OF OVEREXPOSURE - INHALATION: Prolonged inhalation may be harmful.

EFFECTS OF OVEREXPOSURE - INGESTION: Irritating to mouth, throat and stomach.

EFFECTS OF OVEREXPOSURE - CHRONIC HAZARDS: Preexisting respiratory or skin condition(s) may be aggravated by exposure. This product contains silicon dioxide [quartz] which has been listed as a suspected human carcinogen by NTP and IARC.

PRIMARY ROUTE(S) OF ENTRY: SKIN CONTACT INHALATION EYE CONTACT  
INGESTION

---

**SECTION 4 - FIRST AID MEASURES**

---

FIRST AID - EYE CONTACT: Flush eye with water for 15 minutes. Get medical attention.

FIRST AID - SKIN CONTACT: Remove contaminated clothing and shoes. Wash affected area(s) thoroughly with soap and water. If irritation persists, seek medical attention.

FIRST AID - INHALATION: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get immediate medical attention.

FIRST AID - INGESTION: If swallowed, DO NOT induce vomiting. Give victim a glass of water or milk. Call a physician or poison control center immediately. Never give anything by mouth to an unconscious person. Should vomiting occur, be sure to keep victim's head below hips to avoid aspiration of vomitus into lungs.

---

**SECTION 5 - FIRE FIGHTING MEASURES**

---

FLASH POINT: N.A.

LOWER EXPLOSIVE LIMIT: N.A.

UPPER EXPLOSIVE LIMIT: N.A.

AUTOIGNITION TEMPERATURE: N/A

EXTINGUISHING MEDIA: CO2 DRY CHEMICAL WATER FOG

UNUSUAL FIRE AND EXPLOSION HAZARDS: This product is alkaline and releases considerable heat on contact with small amounts of water. Avoid contact between resulting hot alkaline paste and metallic aluminum. Such contact could generate hydrogen gas.

SPECIAL FIREFIGHTING PROCEDURES: As in any fire, wear self-contained breathing apparatus pressure-demand (MSHA/NIOSH approved or equivalent) and full protective gear.

(Continued on Page 3)

---

---

**SECTION 6 - ACCIDENTAL RELEASE MEASURES**

---

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Vacuum or sweep up material and place in a disposal container. Ventilate area. Wear dust/mist mask or other appropriate protection. Flush spill with excess water to a chemical sewer or soak up with inert absorbent. Do not discharge to lakes, streams, ponds, or sewer.

---

**SECTION 7 - HANDLING AND STORAGE**

---

HANDLING: Use only in a well ventilated area. Keep out of reach of children. If user operations generate dust, fume, or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

STORAGE: Keep container closed when not in use.

---

**SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION**

---

ENGINEERING CONTROLS: Local exhaust ventilation may be necessary to control any air contaminants to within their TLVs during the use of this product.

RESPIRATORY PROTECTION: Wear NIOSH/MSHA approved respiratory protection when the product is mixed or applied in a poorly ventilated area or if workplace levels of ingredients exceed the TLV. Follow applicable federal, state, and local regulations. Wear disposable dust mask.

OTHER PROTECTIVE EQUIPMENT: Where contact is likely, wear chemical resistant gloves, chemical safety goggles with a face shield, and clean protective clothing to cover arms and legs to keep exposure to a minimum.

HYGIENIC PRACTICES: Do not take internally. Wash thoroughly after handling. Remove contaminated clothing and wash before reuse. Avoid contact with eyes, skin, and clothing.

---

**SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES**

---

BOILING RANGE	: N.A.	VAPOR DENSITY	: Is heavier than air
ODOR	: No odor	ODOR THRESHOLD	: N/A
APPEARANCE	: White powder	EVAPORATION RATE:	Is slower than Butyl Acetate
SOLUBILITY IN H <sub>2</sub> O	: Slight <0.1 %	SPECIFIC GRAVITY:	2.6000
FREEZE POINT	: N/A	pH @ 0.0 %	: N/A
VAPOR PRESSURE	: N/A	VISCOSITY	: N/A
PHYSICAL STATE	: Powder		
COEFFICIENT OF WATER/OIL DISTRIBUTION: N/A			

(See Section 16 for abbreviation legend)

(Continued on Page 4)

---

---

 SECTION 10 - STABILITY AND REACTIVITY
 

---

CONDITIONS TO AVOID: Avoid small amounts of water.

INCOMPATIBILITY: Avoid contact with oxidizing material. Contact with strong acids and bases.

HAZARDOUS DECOMPOSITION PRODUCTS: No Information.

HAZARDOUS POLYMERIZATION: Will not occur under normal conditions.

STABILITY: This product is stable under normal storage conditions.

---

 SECTION 11 - TOXICOLOGICAL PROPERTIES
 

---

PRODUCT DERMAL LD50: No Information      PRODUCT ORAL LD50: No Information  
 PRODUCT LC50: No Information

COMPONENT TOXICOLOGICAL INFORMATION:

----- CHEMICAL NAME -----	-- DERMAL LD50 --	--- ORAL LD50 ---	----- LC50 -----
calcium oxide	No Information	No Information	No Information
Gypsum	No Information	No Information	No Information
Silica, quartz	No Information	No Information	No Information
calcium aluminates ceme	No Information	No Information	No Information
Portland cement	No Information	No Information	No Information

---

 SECTION 12 - ECOLOGICAL INFORMATION
 

---

ECOLOGICAL INFORMATION: No Information.

---

 SECTION 13 - DISPOSAL CONSIDERATIONS
 

---

DISPOSAL METHOD: Review all local, state, and federal regulations concerning health and pollution for appropriate disposal procedures.

---

 SECTION 14 - TRANSPORTATION INFORMATION
 

---

DOT PROPER SHIPPING NAME: Not regulated

DOT TECHNICAL NAME: N/A

DOT HAZARD CLASS: N/A

HAZARD SUBCLASS: N/A

DOT UN/NA NUMBER: N/A

PACKING GROUP: N/A

RESP. GUIDE PAGE:

(Continued on Page 5)

---

---

 SECTION 14 - TRANSPORTATION INFORMATION
 

---

DOT PLACARD AT: N/A

DOT CLASS NUMBER: N/A

UN PROPER SHIPPING NAME: Not Regulated

UN HAZARD CLASS: N/A

UN CLASS NUMBER: AIR N/A                      MARINE N/A

HAZARD SUBCLASS: AIR N/A                      MARINE N/A

UN UN/NA NUMBER: N/A                      UN PACKING GROUP: AIR N/A      MARINE N/A

UN PLACARD AT: N/A

---

 SECTION 15 - REGULATORY INFORMATION
 

---

U.S. FEDERAL REGULATIONS: AS FOLLOWS -

OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200)

CERCLA - SARA HAZARD CATEGORY:

This product has been reviewed according to the EPA 'Hazard Categories' promulgated under Sections 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories:

IMMEDIATE HEALTH HAZARD      CHRONIC HEALTH HAZARD

SARA SECTION 313:

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372:

----- CHEMICAL NAME -----                      CAS NUMBER      WT/WT % IS LESS THAN  
No SARA Section 313 components exist in this product.

TOXIC SUBSTANCES CONTROL ACT:

This product contains the following chemical substances subject to the reporting requirements of TSCA 12(B) if exported from the United States:

----- CHEMICAL NAME -----                      CAS NUMBER  
No information is available.

(Continued on Page 6)

---

SECTION 15 - REGULATORY INFORMATION

---

## CALIFORNIA PROPOSITION 65:

WARNING: The chemical(s) noted below and contained in this product, are known to the state of California to cause cancer, birth defects or other reproductive harm:

----- CHEMICAL NAME -----	CAS NUMBER
Silica, quartz	14808-60-7
Formaldehyde	50-00-0
Lithium carbonate	554-13-2

INTERNATIONAL REGULATIONS: AS FOLLOWS -

CANADIAN WHMIS: This MSDS has been prepared in compliance with Controlled Product Regulations except for use of the 16 headings.

CANADIAN WHMIS CLASS: No information available.

---

SECTION 16 - OTHER INFORMATION

---

HMIS RATINGS - HEALTH: 2      FLAMMABILITY: 0      REACTIVITY: 1  
PERSONAL PROTECTION: E

PREVIOUS MSDS REVISION DATE: 08/10/93

REASON FOR REVISION: Complete review.

VOLATILE ORGANIC COMPOUNDS (VOCS): 0.00 lbs/gal,    0 grams/ltr

LEGEND: N.A. - Not Applicable, N.E. - Not Established,  
N.D. - Not Determined

---

This information is furnished without warranty, representation, or license of any kind, except that this information is accurate to the best of ChemRex's knowledge, or is obtained from sources believed by ChemRex to be accurate. No warranty is expressed or implied regarding the accuracy of this information or the results to be obtained from its use thereof. ChemRex assumes no responsibility for injuries proximately caused by use of the Material if reasonable safety procedures are not followed as stipulated in this Data Sheet. Additionally, ChemRex assumes no responsibility for injuries proximately caused by abnormal use of the Material even if reasonable safety procedures are followed. Buyer assumes the risk in its use of the Material.

---

<END OF MSDS>